

IAF MD 22	Toepassing IAF MD22:2019 in relatie tot VCA-certificatie
Algemeen	<p>MD22 is in de basis opgezet om toe te passen op ISO 45001 en OHSAS 18001 echter daarnaast is het ook voor andere OH&S-managementsystemen van toepassing verklaard. Dit document "Toepassing in relatie tot VCA-certificatie van MD22" is in het kader van de toepassing op "andere OH&S- managementsystemen" opgesteld.</p> <p>De MD22 is alleen van toepassing is op de V&G-aspecten. Aan de Milieuspecten, zoals genoemd in de checklist, zijn geen extra eisen gesteld in dit document.</p> <p>Naast eventuele aanvullende eisen uit de MD22 blijven de eisen uit de ISO 17021-1 gewoon van toepassing maar staan hier niet vermeld.</p>
1 Scope	Geen aanvullende eisen t.o.v. ISO 17021-1
2 Normative references	Geen aanvullende eisen t.o.v. ISO 17021-1`
3 Terms and definitions	
G 3.3 In addition to ISO/IEC 17021-1, additional services provided in the field of Occupational Health and Safety are also considered as management systems consultancy. These include, but are not limited to: i) performing the role of Occupational Health and Safety coordinator, ii) safety reporting, iii) performing risk assessments, iv) communication with regulatory authorities on behalf of the client, and v) accident and incident investigation.	Artikel is van toepassing, geen specifieke invulling in relatie tot VCA-certificatie.
G 4.1.2 In addition to both managerial and non-managerial permanent and temporary workers, and their representatives, parties that have an interest in an OH&SMS certification include, but are not limited to: i) legal and regulatory authorities (local, regional, national or international), ii) parent organizations, iii) suppliers, contractors and subcontractors, iv) workers' organizations (trade unions) and employers' organizations, v) owners, shareholders, clients, visitors, relatives of workers, local community and neighbours of the organization and the general public, vi) customers, medical and other community services, media, academia, business associations and non-governmental organizations (NGOs), and vii) occupational health and safety organizations and occupational safety and health-care professionals (for example doctors and nurses).	Artikel is van toepassing, geen specifieke invulling in relatie tot VCA-certificatie.
G.5.2.3 The key interests may include the additional parties mentioned in clause G.4.1.2.	Artikel is van toepassing, geen specifieke invulling in relatie tot VCA-certificatie.
6 Structural requirements	Geen aanvullende eisen t.o.v. ISO 17021-1
7 Resource requirements	

IAF MD 22	Toepassing IAF MD22:2019 in relatie tot VCA-certificatie
G.7.1.2 For Occupational Health and Safety management systems, the term “technical area” is related to commonalities of processes or services and their associated hazards which can expose workers to OH&S risks.	<p>Toepassing in relatie tot VCA-certificatie Het toepassingsgebied is als volgt vastgesteld in hoofdstuk 3 de VCA 2017/6.0 checklist: “VCA-certificatie is bedoeld voor aannemersbedrijven die operationele werkzaamheden uitvoeren bij opdrachtgevers...”. Dit betekent dat binnen VCA de beoordeling gebeurt in relatie tot bovenstaand toepassingsgebied en de scope van certificatie. Hierdoor is het aannemelijk dat een TA meerdere Technische clusters kan bevatten.</p>
8 Information requirements	<p>G 8.5.3 The legally enforceable arrangements shall also require that the certified client informs the Certification Body, without delay, of the occurrence of a serious incident or breach of regulation necessitating the involvement of the competent regulatory authority.</p>
9 Process requirements	<p>G 9.1.1 The information provided to the Certification Body by the authorized representative of the applicant organisation on its processes and activities shall also include the identification of the key hazards and OH&S risks associated with processes, the main hazardous materials used in the processes, and any relevant legal obligations coming from the applicable OH&S legislation. The application shall contain details of personnel working on, as well as working away from the organisation’s premises.</p>
	<p>Toepassing in relatie tot VCA-certificatie De door de klant te verstrekken informatie is voorschreven in de checklist VCA 2017/6.0 hoofdstuk 7.1. Deze informatie is voldoende om de aanvraag te kunnen behandelen.</p> <p>De aanvullende informatie die vanuit de MD22 is gevraagd betreft het verschil tussen de medewerkers op kantoor en op de werklocatie. De VCA-checklist 2017/6.0 heeft in bijlage D, voetnoot 16 explicet gedefinieerd welke medewerkers er wel en niet betrokken dienen te worden.</p>

IAF MD 22	Toepassing IAF MD22:2019 in relatie tot VCA-certificatie
<p>G 9.1.4 The audit time of OH&SMS audits shall be determined in accordance with IAF MD5. If the client provides services at another organisation's premises, the CAB shall verify that the client's OH&SMS covers these offsite activities (notwithstanding the OH&SMS obligations of the other organization). In determining the time to be spent for audit, the CAB shall consider to audit periodically any organization site where these employees work. Whether all sites shall be audited will depend on various factors such as OH&S risks associated with the activities therein performed, contract agreements, being certified by another accredited CAB, internal audit system, statistics on accidents and near misses. The justification for such decision shall be recorded.</p>	<p>Toepassing in relatie tot VCA-certificatie De audittijd is enkel gebaseerd op bijlage D in de VCA-checklist. De bepalingen van MD 5 die betrekking hebben op tijdsbesteding voor audits zijn niet van toepassing in geval van VCA certificatie.</p>
<p>G 9.1.5 In the case of OH&SMS operated over multiple sites it is necessary to establish if sampling is permitted or not based on the evaluation of the level of OH&S risks associated to the nature of activities and processes carried out in each site included in the scope of certification. The rationale of such decisions, the calculation of the audit time and the frequency of visiting each site shall be consistent with the requirements of clause 10 in IAF MD5, and shall be documented for each client. Where there are multiple sites not covering the same activities, processes and OH&S risks, sampling is not appropriate.</p> <p>Although a site performs similar processes or manufactures similar products to other sites, the CAB shall take account of the differences between the operations of each site (technology, equipment, quantities of hazardous materials used and stored, working environment, premises etc.).</p> <p>When sampling is permitted the CB shall ensure that the sample of sites to be audited is representative of processes, activities and OH&S risks that exist in the organization to be audited.</p> <p>Temporary sites covered by the organization's OH&SMS are subject to audit on a sample basis to provide evidence of the operation and effectiveness of the management system (see clause 9 of IAF MD5).</p>	<p>Toepassing in relatie tot VCA-certificatie Bijlage D van de VCA-Checklist kan integraal worden toegepast indien aan de voorwaarde voor sampling is voldaan.</p>
<p>G.9.2.1.2b For the determination of the ability of the management system to ensure the client meets applicable statutory, regulatory and contractual requirements, the approach described in Appendix A shall be applied.</p>	<p>Toepassing in relatie tot VCA-certificatie Zie A.0</p>

IAF MD 22	Toepassing IAF MD22:2019 in relatie tot VCA-certificatie
G.9.2.1.3 The OH&SMS shall include activities, products and services within the organization's control or influence that can impact the organization's OH&SMS performance. Temporary sites, for example, construction sites, shall be covered by the OH&SMS of the organization that has control of these sites, irrespective of where they are located.	Toepassing in relatie tot VCA-certificatie Er is een specificatie van het toepassingsgebied in de VCA-checklist opgenomen (zie hoofdstuk 3 van de checklist). Het VGM-managementsysteem dient alle activiteiten en dienstverlening te bevatten binnen de scope van certificatie. De scope van certificatie is maatgevend voor VCA-certificatie en deze is normaliter beperkt tot de operationele activiteiten en dienstverlening op de projectlocaties bij klanten.
9.3 Initial Certification	Geen aanvullende eisen t.o.v. ISO 17021-1
9.4 Conducting audits	
G 9.4.4.2 The audit team shall interview the following personnel: i) the management with legal responsibility for Occupational Health and Safety, ii) employees' representative(s) with responsibility for Occupational Health and Safety, iii) personnel responsible for monitoring employees' health, for example, doctors and nurses. Justifications in case of interviews conducted remotely shall be recorded, iv) managers and permanent and temporary employees. Other personnel that should be considered for interview are: i) managers and employees performing activities related to the prevention of Occupational Health and Safety risks, and ii) contractors' management and employees.	Toepassing in relatie tot VCA-certificatie <ul style="list-style-type: none"> i. Artikel is van toepassing. ii. Artikel is van toepassing. iii. Als voor het beoordelen van de implementatie van VCA-certificatie, de adviezen of de betrokkenheid van de bedrijfsarts door de organisatie getoond kunnen worden, is er geen noodzaak om de bedrijfsarts te interviewen. iv. Artikel is van toepassing. <ul style="list-style-type: none"> i. Deze groep medewerkers moeten altijd onderdeel zijn van de geïnterviewde medewerkers. ii. Artikel is wel van toepassing, geen specifieke toepassing in relatie tot VCA-certificatie.
9.4.5.3 The Certification Body shall have procedures detailing the actions to be taken in the event that it discovers a non-compliance with relevant regulatory requirements. These procedures shall include a requirement that any such non-compliances are immediately communicated to the organization being audited.	Artikel is van toepassing, geen specifieke invulling in relatie tot VCA-certificatie.
G 9.4.7.1 The organization representative shall be requested to invite the management legally responsible for occupational health and safety, personnel responsible for monitoring employees' health and the employees' representative(s) with responsibility for occupational health and safety to attend the closing meeting. Justification in case of absence shall be recorded.	Artikel is van toepassing, geen specifieke invulling in relatie tot VCA-certificatie.

IAF MD 22	Toepassing IAF MD22:2019 in relatie tot VCA-certificatie
9.5 Certification Decision	Geen aanvullende eisen t.o.v. ISO 17021-1
9.6 Maintaining Certification	
G 9.6.4.2 Independently from the involvement of the competent regulatory authority, a special audit may be necessary in the event that the Certification Body becomes aware that there has been a serious incident related to occupational health and safety, for example, a serious accident, or a serious breach of regulation, in order to investigate if the management system has not been compromised and did function effectively. The Certification Body shall document the outcome of its investigation.	Toepassing in relatie tot VCA-certificatie Betreft een serious incident zoals voor BE en NL gedefinieerd in G 8.5.3 van dit document. In het kader van VCA vereist de CI van klanten melding te maken van incidenten die voldoen aan de genoemde definitie; De CI beoordeeld op basis van de ernst en omvang van het gemelde incident welke actie wordt ondernomen in relatie tot mogelijk falen van het managementsysteem. De CI documenteert het resultaat van de beoordeling.
G 9.6.5.2 Information on incidents such as a serious accident, or a serious breach of regulation necessitating the involvement of the competent regulatory authority, provided by the certified client (see G 8.5.3) or directly gathered by the audit team during the special audit, (G 9.6.4.2) shall provide grounds for the Certification Body to decide on the actions to be taken, including a suspension or withdrawal of the certification, in cases where it can be demonstrated that the system seriously failed to meet the OH&S certification requirements. Such requirements shall be part of the contractual agreements between the CAB and the organization.	Toepassing in relatie tot VCA-certificatie Betreft een serious incident zoals voor BE en NL gedefinieerd in G 8.5.3 van dit document. In het kader van VCA vereist de CI van klanten melding te maken van incidenten die voldoen aan de genoemde definitie; e.e.a. van toepassing op de activiteiten binnen de scope van certificatie (zie Toepassing in relatie tot VCA-certificatie bij G 9.2.1.3.) en voor wat betreft de V&G-W&R in relatie tot de vragen van de checklist (zie Toepassing in relatie tot VCA-certificatie bij G 9.2.1.2b.)
9.7 Appeals	Geen aanvullende eisen t.o.v. ISO 17021-1
9.8 Complaints	Geen aanvullende eisen t.o.v. ISO 17021-1
9.9 Client Records	Geen aanvullende eisen t.o.v. ISO 17021-1
10. MANAGEMENT SYSTEM REQUIREMENTS FOR CERTIFICATION BODIES	Geen aanvullende eisen t.o.v. ISO 17021-1

APPENDIX A (normative) - LEGAL COMPLIANCE AS A PART OF ACCREDITED OH&SMS CERTIFICATION

IAF MD 22	Toepassing IAF MD22:2019 in relatie tot VCA-certificatie
<p>A.0 INTRODUCTION</p> <p>A.01 Considering the various viewpoints, the following definition for "legal compliance" is used: "Conformity with the law, in such a way that the intended outcome is realised."</p> <p>While certification of an OH&SMS against the requirements of the applicable OH&SMS standard is not a guarantee of legal compliance (neither is any other means of control, including government or other type of control and/or legal compliance inspections or other forms of certification or verification), it is a proven and efficient tool to achieve and maintain such legal compliance.</p> <p>It is recognised that accredited OH&SMS certification shall demonstrate that an independent third-party (Certification Body) has evaluated and confirmed that the organisation has a demonstrably effective OH&SMS to ensure the fulfilment of its policy commitments including legal compliance.</p> <p>Ongoing or potential non-compliances with the applicable legal requirements might show a lack of management control within the organisation and its OH&SMS and the conformity with the standard should be carefully reviewed.</p> <p>A.02 This Appendix is intended to extend to OH&SMS the applicability of selected requirements of document EA-7/04 M: 2017 "Legal Compliance as a part of Accredited ISO 14001:2015 certification", rev.03 May 2017. Such requirements describe the relationship between an organisation's accredited OH&SMS certification and that organisation's degree of compliance with applicable OH&S legal requirements.</p>	<p>Toepassing in relatie tot VCA-certificatie</p> <p>Vermits 'legal compliance' geen specifiek doel is van de VCA en het geen deel uitmaakt van de beleidsverklaring (vraag 1.1.) kan dit document NIET onverkort toegepast worden op de VCA-situatie. Om dezelfde reden kan ook niet besloten worden dat aanvullende vragen altijd gescoord moeten worden als er een relatie is tot wetgeving. Wel moet steeds een marginale toetsing van de (toepasselijke) wetgeving plaatsvinden door de CI, conform de algemene regels inzake certificering van managementsystemen.</p> <p>In het proceduregedeelte van de VCA "7.2 Initiële certificatie-audit fase 1" staat: "de auditor beoordeelt de systematiek met betrekking tot opvolging en naleving van relevante van toepassing zijnde wetgeving."</p> <p>De organisatie moet dus een systeem voeren dat toelaat om de toepasselijke V&G wetgeving (tot in voldoende detail) te identificeren en op te volgen.</p> <p>Tijdens het certificatieproces evolueert de CI de conformiteit van de organisatie met de VCA 2017/6.0 en toetst daarbij marginaal aan de wetgeving. Bij bepalingen uit de standaard (= het van toepassing zijnde certificatieneveau) die verband houden met wetgeving zal de CI geen certificaat uitreiken totdat die bepalingen uit de standaard zijn nageleefd. (A.1.1)</p> <p>In geval tijdens de marginale toetsing van de (toepasselijke) wetgeving een vaststelling van niet overeenstemming wordt gedaan, dient een communicatie (= opmerking) aan de klant te worden gedaan. De CI heeft procedures met gedetailleerde acties in geval van zulke vaststelling. (G 9.4.5.3)</p> <p>Conclusie</p> <ul style="list-style-type: none"> • Indien niet voldaan aan van toepassing zijnde VCA-criteria --> Afwijking (non-conformiteit) • Indien wel voldaan aan van toepassing zijnde VCA-criteria maar niet aan wetgeving --> opmerking die opvolging vergt van zowel de organisatie als van de CI en die mogelijk kan leiden tot een verbeterpunt (cf G 9.4.5.3).
A.1 HOW SHOULD A CERTIFICATION BODY AUDIT AN OH&SMS WITH RESPECT TO LEGAL COMPLIANCE	Toepassing in relatie tot VCA-certificatie Zie A.0
APPENDIX B (normative) - SCOPE OF ACCREDITATION	Toepassing in relatie tot VCA-certificatie VCA scope voor accreditatie is gebaseerd op SAP C007, bijlage 1



211007-264-NLBE-CI Toepassing MD 22 in relatie tot VCA 2017/6.0

IAF MD 22	Toepassing IAF MD22:2019 in relatie tot VCA-certificatie
Model for OH&SMS Accreditation Scopes	